



Application


GC Application No. 108

Anilines

Sample: Anilines

Column: FS-Supreme-5ms
60 m x 0,25 mm ID, df 0,25 µm
P/N: 22545160

GC Conditions: Oven: 50 °C, 5 min, 8 °C/min -> 250 °C, 10 min
Pressure / Carrier gas: 1,5 bar N2
Detector: FID 340°C



Peaks:

1. aniline	9. 2-Nitroanilin
2. o-toluidine	10. 3-Nitroanilin
3. N,N-dimethylaniline	11. 4-Nitroanilin
4. 2-chloroaniline	
5. 4-ethylaniline	
6. 2,6-dimethylaniline	
7. N,N-diethylaniline	
8. 2,5-dichloroaniline	